

BglII

Pack Size: 100 rxns

Ver1.0

For Research Purposes Only. Not for use in diagnostic or therapeutic procedures. Purchase does not include or carry the right to resell or transfer this product either as a stand-alone product or as a component of another product. Any use of this product other than the permitted use without the express written authorization of KRISHGEN BioSystems is strictly prohibited.

KRISHGEN Biosystems

Contact Info: Tel (562)-568-5005, (562)-568-5006 | Email: kbiinfo@krishgen.com

Registered Office: 16192, Coastal Road, Lewes 19958 DE, USA

Customer Care and Technical Support

If you have any queries, do not hesitate to contact us. We thank you for your comments and advice.

- **For technical queries:** molbio@krishgen.com
- **For ordering:** sales@krishgen.com

DESCRIPTION

Sequence-specific Type II restriction endonuclease for cleavage of double-stranded DNA at its cognate recognition site.

STORAGE CONDITION

Store at -20°C. It is recommended to aliquot and store to avoid repeated freeze-thaw as it affects the stability of the product.

FEATURES AND BENEFITS

Krishgen fast restriction endonucleases are presented as highly active enzymes with 100% activity in the universal buffer.

APPLICATION SCOPE

Restriction digestion, vector linearization, cloning, insert screening and restriction mapping.

USAGE

Use the recommended universal/compatible buffer and incubation conditions for the specific enzyme.

FORMAT

Ready-to-use

SHORT PROTOCOL NOTE

- 1) Combine DNA template with the enzyme and its matched reaction buffer.
- 2) Incubate at the enzyme's optimal temperature (commonly 37°C) for 30-60 minutes.
- 3) Heat-inactivate or column-purify to stop the reaction before downstream ligation, analysis, or cloning.

PRECAUTIONS

- Do not mix reagents from different kits or lots.
- Reagents from different manufacturers should not be used with this set.

QUALITY CONTROL

It is recommended that for each laboratory assay appropriate quality control samples in each run should be used to ensure that all reagents and procedures are acceptable.

REGULATORY

For Research Use Only. Not for diagnostics or human use.

DISCLAIMER

The data indicated herein are as indicated and validated in our laboratory. These reagents are for research use only and not for in-vitro diagnostics or human use.

LIMITED WARRANTY

Krishgen Biosystems does not warrant against damages or defects arising in shipping or handling, or out of accident or improper or abnormal use of the Products; against defects in products or components not manufactured by Krishgen Biosystems, or against damages resulting from such non-Krishgen Biosystems made products or components. Krishgen Biosystems passes on to customer the warranty it received (if any) from the maker thereof of such non Krishgen made products or components. This warranty also does not apply to Products to which changes or modifications have been made or attempted by persons other than pursuant to written authorization by Krishgen Biosystems.

THIS WARRANTY IS EXCLUSIVE. The sole and exclusive obligation of Krishgen Biosystems shall be to repair or replace the defective Products in the manner and for the period provided above. Krishgen Biosystems shall not have any other obligation with respect to the Products or any part thereof, whether based on contract, tort, and strict liability or otherwise. Under no circumstances, whether based on this Limited Warranty or otherwise, shall Krishgen Biosystems be liable for incidental, special, or consequential damages. This Limited Warranty states the entire obligation of Krishgen Biosystems with respect to the Products. If any part of this Limited Warranty is determined to be void or illegal, the remainder shall remain in full force and effect.

Krishgen Biosystems. 2026

THANK YOU FOR USING KRISHGEN PRODUCT!